
Si



	A CONTRACTOR OF THE PARTY OF TH	The Control of Control States and
irectories Packages		
Project Name :		
bbtour		
EJB Code Generation Ou	Iput Directory:	
D:lopf(WebLogicAClsrc		Browse
Deploy Code Generation	Output Directory:	
D.topftWebLogicACidepic	y\weblogic\cloudscape	Browse
TAST Model File:		
D loptiWebLogicACIsrcibi	ptour.tast	Browse
Save Project To:		
D.lopt/WebLogicACtsrcibt	otour	Browse
	OK Cancel	

3.77. .:

Fig. 2

;

Project Properties			(京)区
Directories Packages Packages Packages		Classes	
☐ Java.security.interfaces ☐ Java.rmi ☐ Java.rmi.registry	● BeanieHat		
□ java.rmi.server □ java.rmi.dgc □ java.beans			
□ examples □ examples.buybeans □ examples.buybeans.item		·	
☑ examples invocans tour	<u> </u>		
ОК	Cancel		

Fig. 3

User Options	×
Smart Generator Java Smart Generator Options	
Smart Generator	
theory.smart.compiler.SmartGenerator	$\ \cdot\ $
Smart Generator Options	
-trace g	
Smart Generator TAST Flag	
-tast	
Smart Generator Root Directory Flag	
-root	
Smart Generator Deploy Root Directory Flag	
-deployment_root	
Smart Generator Classes Flag	1
-classes	
Ok Cancel	ī

Fig. 4


User Options	× Section 18 (17)
Smart Generator Java	a !
Java Options — ——	
Classpath	
C:UDK12~1.2\ipre\ib\rt.	jar,C.kweblogiclevallcloud
Java Compiler	
javac	
Java Compiler Options	
	<del></del>
Java Virtual Machine	
java	
JVM Options	
Java Execution Timeor	int .
10000	
	·
	- 7
Ok -	Cancel

Fig. 5

C:/WeblogicAC/src/examples/Euybeans/tour, Mon Apr 03 19:07:00 EDT 2000:cp Created C:/WeblogicAC/src/examples/Euybeans/tour, Mon Apr 03 19:07:00 EDT 2000:cp Cenerati C:/WeblogicAC/src/examples/Euybeans/tour, Mon Apr 03 19:07:01 EDT 2000:cp Created C:/WeblogicAC/src/examples/Euybeans/tour/ Mon Apr 03 19:07:01 EDT 2000:cp Cenerati C:/WeblogicAC/src/examples/Euybeans/tour/ Mon Apr 03 19:07:01 EDT 2000:cp Created C:/WeblogicAC/src/examples/Euybeans/tour/ Mon Apr 03 19:07:01 EDT 2000:cp Created C:/WeblogicAC/src/examples/Euybeans/tour/ Mon Apr 03 19:07:01 EDT 2000:cp Created C:/WeblogicAC/deploy/weblogic/Cloudses	Backup f BeanieHa BeanieHau backup f BeanieHau ny Home BeanieHau backup f	tre to> tPricePolicy tentation tPricePolicyI tle to 1-> tPricePolicyI  PricePolicyI	.java.bak impl.java impl.java.bak
C:/WebLogicAC/deploy/weblogic/cloudscape/e xicePolicyTcBmp.jeva Mon Apr 03 19:07:01 EDT 2000:(g) Compiler	::kamples/	PricePolicyHo bject JDBC buybeans/town	ome. Java. bak
Step Clear			

€,77 ,3

Fig. 6



~810		-820	~830 Methods	
< <bsc.configurableentity>&gt;</bsc.configurableentity>	liem	<ul> <li>☐ description: String</li></ul>	☑ calculatePrice()	☐ setDefaultItemPriceCalculationPolicy() ☐ getDefaultItemPriceCalculationPolicy()
Name and Stereotype		~002	3	

Fig. 8




Fig. 9




Fig. 10




Fig. 1




Fig. 12

BeanieToy	ŀ
oname: String ocount: int	1
	:
Market and the second	Ι,

Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17